



ARCHITECTURAL
IRON DESIGNS, INC.



 D&D Technologies® / GateSolutions
World's most trusted gate hardware by CodeLocks

CODELOCKS



Zinc alloy construction

Long lasting rust and corrosion protection

Easy code change

Ability to change code without removing lock from gate (CL600 series)

Code free passage

Passage or non-passage options

Unique spindle design

Spring loaded, cast independent drive spindles

Tubular latch

Heavy duty, grade 1 latch

Keypad


Spring loaded, easy to see buttons

Full size lever handle

Reversible handing & breakaway clutch

Key override

Re-keyable Schlage C1 keyways





CODELOCKS CL400 SERIES

MECHANICAL RESIDENTIAL CODE LOCK, TUBULAR LATCHBOLT, NO KEY OVERRIDE, CODE FREE

Mechanical Codelocks CL400 Series is a medium duty lock meant for residential applications.

The spring loaded latchbolt will lock automatically when the door is closed. There is no key override function on these locks.

This lock is supplied with a random code commencing with the 'C' clear button. To change the code after installing the lock, the lock must be removed again from the door or gate.

Up to 8,191 different codes are available and the numbers may be entered in any order. (The code is non sequential, that is the code can be entered in any order e.g. 1234 can be 4321 or 1342 or whatever is the most convenient to remember).

- Full size lever handles with return to door
- Code Free (permits free passage, the option to disengage the code to allow free entry)
- Suitable for interior and exterior use
- Tumbler alignment for easy code change
- Lever handle lock for doors hung on the left or right
- Neoprene seals included
- Polished Stainless Steel or Black Marine Grade Finish
- Back to Back (Double Combination) Lock available in Stainless Steel only



DDCL415SS



DDCL415BKMG



DDCL415BBSS

Back to Back (Double Combination)




UNIVERSAL GATE BOX

Measures 5-1/2"W x 9-1/2"H x 2"D

Must specify lock model when ordering

DD96215 - Steel

DD91616 - Aluminum



CODELOCKS CL500 SERIES

MECHANICAL COMMERCIAL CODE LOCK, TUBULAR LATCHBOLT, NO KEY OVERRIDE, CODE FREE

Mechanical Codelocks CL500 Series is a heavy duty tubular mortise latch. The outside lever handle will retract the latch after a correct code is entered.

The spring loaded latchbolt will lock automatically when the door is closed.

Supplied with a random code commencing with the 'C' clear button.

To change the code after fitting, the lock must first be removed from the door. The code is non sequential, that is the code can be entered in any order e.g. 1234 can be 4321 or 1342 or whatever is the most convenient sequence. With the 11 buttons a total of 2,047 different codes are available, any of which may be entered in any order.

- Large full size lever handles with return to gate
- Code Free (permits free passage, the option to disengage the code to allow free entry)
- Suitable for interior and exterior use
- Tubular latch and mortise lock models available
- Tumbler alignment for easy code change
- Large three coil lever return spring suitable for high traffic use
- Neoprene seals included
- Polished Stainless Steel or Black Marine Grade Finish
- Back to Back (Double Combination) Lock available



DDCL515SS




DDCL515BKMG

Back to Back
(Double
Combination)



DDCL515BBSS

DDCL515BBBKMG



UNIVERSAL GATE BOX

Measures 5-1/2"W x 9-1/2"H x 2"D

Must specify lock model when ordering

DD96215 - Steel

DD91616 - Aluminum

ALL DIMENSIONS ARE APPROXIMATE.



CODELOCKS CL600 SERIES

MECHANICAL HEAVY DUTY COMMERCIAL CODE LOCK, TUBULAR LATCHBOLT, KEY OVERRIDE, CODE FREE

Mechanical Codelocks CL600 Series is a heavy duty tubular mortise latch lock.

The outside lever handle will retract the latch after a correct code is entered.

The spring loaded latchbolt will lock automatically when the door is closed.

Quick Code change! The CL600 series incorporates the new Quick Code system which allows on door code changes in seconds. Typically most mechanical digital locks require the lock to be removed from the door or partly disassembled to change the code.

- Full size lever handles with return to door
- Passage function option
- Suitable for interior and exterior use
- Tubular latch and mortise lock models available
- Large three coil lever return spring suitable for high traffic use
- Available in brushed steel and black marine grade finishes
- Tested to Grade 2 ANSI A156.2
- UL/ULC Fire Rating 3 hours
- Dot denotes passage function
- Brushed Stainless Steel or Black Marine Grade Finish
- Back to Back (Double Combination) Lock available



UNIVERSAL GATE BOX

Measures 5-1/2"W x 9-1/2"H x 2"D

Must specify lock model when ordering

DD96215 - Steel

DD91616 - Aluminum




CODELOCKS CL4500 SERIES

SMART ELECTRONIC CODE LOCK, TUBULAR LATCHBOLT, CODE FREE, KEY OVERRIDE, BRUSHED STAINLESS STEEL

Managing and operating locks has never been easier. The CL4510 Smart Lock offers advanced programming and access methods, as well as simple retrofit opportunities for easy upgrades from the CL4000 range. Codelocks NetCode® Technology This function allows temporary access. Create time-sensitive codes via the Codelocks Connect Portal or your own application with our simple API (application programming interface).

- Manage and operate locks via smartphone
- Keyless entry - no lost keys
- 12 button back-lit keypad
- NetCode generation technology
- Set up to 10 free access periods
- Suspend and restore any or all clients
- Keypad indicates locked / unlocked status
- Tamper time out and low battery warning
- Personal wireless connectivity for management
- Simple upgrade from electronic range
- Auxiliary connections enabling four modes of operation
- Smart lock is not offered back to back (double combination)



UNIVERSAL GATE BOX

Measures 5-1/2"W x 9-1/2"H x 2"D

Must specify lock model when ordering

DD96215 - Steel

DD91616 - Aluminum

ALL DIMENSIONS ARE APPROXIMATE.



CODELOCKS CL5500 SERIES

HEAVY DUTY SMART ELECTRONIC CODE LOCK, TUBULAR LATCHBOLT, CODE FREE, KEY OVERRIDE, BRUSHED STAINLESS STEEL

Managing and operating locks has never been easier. The CL5510 Smart Mortise Latch offers advanced programming and access methods, as well as simple retrofit opportunities for easy upgrades from the CL5000 range. CodeLocks NetCode® Technology This function allows temporary access. Create time-sensitive codes via the CodeLocks Connect Portal or your own application with our simple API (application programming interface).

- Manage and operate locks via smartphone
- Keyless entry - no lost keys
- ANSI Grade 2
- 3-hour UL 10C certification
- 12 button back-lit keypad
- NetCode® generation technology
- Set up to 10 Code Free access periods
- Suspend and restore any or all clients
- Keypad indicates locked / unlocked status
- Tamper time out and low battery warning
- Personal wireless connectivity for management
- Simple upgrade from electronic range using same fixings
- Auxiliary connections enabling four modes of operation
- Smart lock is not offered back to back (double combination)



DDCL5510BSC

UNIVERSAL GATE BOX

Measures 5-1/2"W x 9-1/2"H x 2"D

Must specify lock model when ordering

DD96215 - Steel

DD91616 - Aluminum



CODELOCKS CL5000 SERIES

HEAVY DUTY ELECTRONIC CODE LOCK, TUBULAR LATCHBOLT, CODE FREE, KEY OVERRIDE, BRUSHED STAINLESS STEEL

Locks in the CL5000 range are the ultimate standalone electronic door locks. Top of the range digital locks tested to Grade 2 ANSI A156.2/A156.25. Heavy duty locks for use in high traffic applications. The stylish design incorporates all the features of CL2000 and CL4000, in a larger, more robust assembly. Unlike the other electronic locks, the CL5000 has a conventional 3x4 button keypad layout for instant familiarity, providing quick programming with a multiple range of functions. Particularly suitable for use in health, educational, commercial and residential environments.

- Key bypass and front cylinder change
- User Codes 4, 5 or 6 digits long
- Allows up to 10 one time User Codes
- Up to 200,000 operations from 4 x AA batteries (supplied)
- Remote release connections
- Suitable for interior and exterior use
- Tamper time out and low battery warning
- Locked and unlocked LED indicator option
- Tested to Grade 2 ANSI A156.2 / A156.25
- UL/ULC Fire Rating 3 hours• Auxiliary connections enabling four modes of operation
- Back to Back (Double combination) models are available



DDCL5210BSC

UNIVERSAL GATE BOX

Measures 5-1/2"W x 9-1/2"H x 2"D

Must specify lock model when ordering

DD96215 - Steel

DD91616 - Aluminum

